



*Photo courtesy of John Hall*

# 2017 VERMONT WILDLIFE HARVEST REPORT – WILD TURKEY



**VERMONT**

**FISH & WILDLIFE DEPARTMENT**

(802) 828-1000 / [www.vtfishandwildlife.com](http://www.vtfishandwildlife.com)



Most of the programs described in this report are funded through the *Federal Aid in Wildlife Restoration Program*. This program was initiated in 1937 as the Federal Aid in Wildlife Act and created a system whereby taxes are paid on firearms, ammunition and archery equipment by the public who hunts. Today this excise tax generates over a hundred million dollars each year that are dedicated to state wildlife restoration and management projects across the United States. The State of Vermont uses these monies for acquiring land, and for restoring and managing wildlife. These excise tax dollars, coupled with state hunting license fees, have been the predominant source of money funding the successful restoration and management of Vermont's wildlife resources.

# 2017 Vermont Wild Turkey Harvest Report

## Contents

Overview.....	1
2017 Brood Production Index .....	1
Youth Turkey Season Results.....	2
Spring Turkey Season Results.....	3
Fall Turkey Season Summary.....	5
Appendix I. Harvest by Town (Spring 2017 and Fall 2017).....	6



*The MISSION of the Vermont Fish & Wildlife Department is the conservation of fish, wildlife, and plants and their habitats for the people of Vermont.*

## Vermont Fish & Wildlife Department

Agency of Natural Resources

1 National Life Drive, Davis 2

Montpelier, Vermont 05620-3702

(802) 828-1000 / [www.vtfishandwildlife.com](http://www.vtfishandwildlife.com)

# 2017 Wild Turkey Report

## Overview

Vermont's wild turkey population was estimated at 45,000 to 60,000 birds in the fall of 2017. Wild turkeys occur throughout the state and are hunted in all 21 Wildlife Management Units (WMUs) during the spring and fall seasons. Examination of long-term trends of harvest and hunter effort suggests that Vermont's turkey population stabilized in the early 2000s following a dramatic population increase throughout the 1990s. The Vermont Fish & Wildlife Department continues to monitor the turkey population using hunter-sourced data and brood production indices as detailed below.

Vermont offers turkey hunters some of the most satisfying and productive turkey hunting opportunities in the region. The Vermont Fish & Wildlife Department administers three seasons for the pursuit of turkeys including a youth specific season (last weekend in April), a spring season (month of May), and a fall season which occurs as either a 9-day or a 16-day shotgun season (varying by WMU), or as a 14-day archery-only season in October. The bag limit is two bearded birds in the spring and one bird of either sex in the fall. Harvest registration is mandatory for all successful turkey hunters.

A total of 18,003 turkey licenses were purchased in 2017 for the youth, spring, and fall seasons, leading to a combined annual harvest of 6,966 wild turkeys – the second highest total annual turkey harvest ever recorded (Figure 1). Of those, 6,724 were bearded turkeys, including bearded hens. Turkeys were harvested statewide in all 21 WMUs and

in 241 of Vermont's 253 towns. Most turkeys (84%) were taken during the regular spring season resulting in a record spring harvest of 5,854 birds. Vermont continues to implement a management strategy that favors quality spring hunting over fall opportunities.




## 2017 Brood Production Index

Department staff conduct an annual turkey brood survey during August. The results of this survey are useful for understanding the influence of spring and summer weather on poult production and survival and, thus, the overall population size. The wild turkey brood Production Index (PI) is the ratio of total poults observed by survey participants to the total number of adult hens observed (poults:hen).

In 2017, the statewide PI was 2.17 which was the second lowest ever recorded in the survey's 17-year history (lowest PI = 2.04, 2009). This low PI was not entirely unexpected considering the prolonged wet and cold weather experienced during the critical brood rearing months of May through July. Survey

FIGURE 1. TOTAL ANNUAL TURKEY HARVEST  
1973-2017






participants also speculated that the low PI may have at least in part been a result of their inability to reliably observe poults in the tall grasses of fields that remained uncut during the survey period because of wet conditions. Regardless, the near record low PI and the routine anecdotal observations received from staff and the public of second broods (as determined by noticeably smaller late-season poults) certainly indicate that the spring and early summer weather had some measurable impact on Vermont's overall turkey brood production in 2017.

Just as weather patterns are not consistent across the state, however, the 2017 PI also varied considerably from region to region. In fact, above average PI values (average PI = 3.02, 2001-2016) were recorded in both Caledonia and Orleans counties while near average values were reported from Franklin, Orange, and Windsor counties (Figure 2). Bennington and Windham counties in southern Vermont, and Essex and Lamoille counties in northern Vermont appear to have been the hardest hit regions with PI values being significantly lower than the rest of the state and being below the range of normally observed values. Although low, the PI values reported from the Champlain Valley counties were within the range of normally observed values. Although the inclement weather experienced this past spring and summer will undoubtedly have an impact on the turkey population in certain parts of the state, the abundant fall and early winter food sources available for turkeys in 2017 will position Vermont's wild turkey population to rebound rapidly from any losses should over-winter conditions prove not too severe.

### Youth Turkey Season Results

In 2017, a total of 2,257 youth season tags were issued to prospective youth hunters as



**FIGURE 2. 2017 WILD TURKEY BROOD PRODUCTION INDEX**

compared to the previous 3-year average of 2,291. During the 2-day youth season, these young hunters, accompanied by their older mentors, harvested 745 bearded turkeys (Table 1, Appendix I), the second highest youth season harvest ever recorded (highest youth harvest = 783 in 2013). Youth hunters enjoyed a 33% success rate which is considerably higher than the previous 3-year average of 26% (2014-2016). The youth season contribution to the total spring turkey harvest was 11.3% which is remarkably close to the long-term average contribution of 11.4% (range 9.6% - 13.6%, 2002-2017) reflecting the relatively stable nature of youth participation and success rates.

Beginning in 2017, the legal shooting hours for the youth season were expanded from half day (one-half hour before sunrise to noon) to full

day (one-half hour before sunrise to 5PM). Eleven percent (80) of the total youth turkey season harvest was taken during the expanded hours (noon through 5PM). Although turkeys were harvested with relative consistency throughout the extended hours of the youth season, there appeared to be slightly more turkeys harvested in the hours after 3PM with 49% of the extended hour harvest occurring during this time (Figure 3).

### Spring Turkey Season Results

A total of 14,761 turkey licenses were sold for the 2017 spring season resulting in an all-time record spring harvest of 5,854 bearded birds (Table 1). Resident hunters accounted for 91% of the total spring harvest. Hunter success rates for the regular spring season remained high in 2017 with 29% of licensed hunters taking at least one bird. As in most years, an impressive 38% of successful hunters also harvested a second bearded bird to fill the 2-bird regular spring season bag limit.

Adult turkeys comprised 72% of the 2017 spring harvest (Table 2) which was considerably higher than the previous 3-year average of 64% (2014-2016) and was the highest percentage of adults ever harvested during the spring season. The 2017 spring season also included 38 bearded hens in the tally.

Wild turkeys were harvested in all of Vermont's 21 WMUs during the spring season (Table 3). Wildlife Management Unit J2 along the central Connecticut River Valley continued to have the highest harvest with 648 birds reported. The second highest harvest came from WMU O in the southern Connecticut River Valley with 594 spring season birds reported followed closely by WMU B in the northern Lake Champlain Valley with 581 bearded turkeys harvested. Wildlife Management Units F1 and F2 continued to




TABLE 1. 2017 SPRING TURKEY HARVEST BY SEASON AND RESIDENCY

Season	Non-Resident	Resident	Total
Youth Turkey Season	21	724	745
Regular May Season	503	5,351	5,854
<b>TOTAL</b>	<b>524</b>	<b>6,076</b>	<b>6,599</b>

TABLE 2. SEX AND AGE OF TOTAL SPRING 2017 HARVEST

Sex	Adult	Immature	Total
Bearded Female	34	4	38 (1%)
Male	4,164	1,652	5,816 (99%)
<b>TOTAL</b>	<b>4,198 (72%)</b>	<b>1,656 (28%)</b>	<b>5,854</b>

record the highest density of turkeys taken with 2.66 and 1.95 bearded turkeys harvested per square mile of forest habitat, respectively.

Windsor County led among Vermont counties in 2017 (Table 4) with the highest harvest reported for the spring and youth seasons combined (852 birds) followed by Orange County (702 birds), and Rutland County (675 birds). Turkeys were harvested in 241 of Vermont's 253 towns during the spring season with no more than 71 turkeys taken from any one town (Appendix I).

**TABLE 3. 2017 SEASON HARVEST BY WILDLIFE MANAGEMENT UNIT**

WMU	Mi <sup>2</sup> of Habitat	Youth	Spring	Fall Archery	Fall Shotgun	Total Harvest	Spring & Youth Harvest Per Mi <sup>2</sup> of Habitat*
A	32	5	40	4		49	1.41
B	407	94	581	9	24	708	1.66
C	349	32	211	3	2**	248	0.70
D1	446	79	384	10	46	519	1.04
D2	345	35	226	3	30	294	0.76
E1	305	7	37	1		45	0.14
E2	325	6	79		1**	86	0.26
F1	103	47	227	4	15	293	2.66
F2	154	34	267	3	11	315	1.95
G	360	22	151	2	1	176	0.48
H	464	40	402	3	27	472	0.95
I	405	11	145		3	159	0.39
J1	462	50	505	10	37	602	1.20
J2	630	77	648	7	27	759	1.15
K	354	57	428	1	10	496	1.37
L	343	16	130	4	3	153	0.43
M	423	19	264	3	8	294	0.67
N	273	34	264		9	307	1.09
O	475	57	594	7	26	684	1.37
P	434	12	132	3	2	149	0.33
Q	218	11	139	1	7	158	0.69
<b>TOTAL</b>		<b>745</b>	<b>5,854</b>	<b>78</b>	<b>289</b>	<b>6,966</b>	

\*calculation based on total of youth and regular spring harvest

\*\*out-of-season harvest as reported by reporting station

In 2017, hunters aged 50 years and older could use crossbows to hunt wild turkey and other big game species in Vermont. In 2015, prior to the new rule, 0.002% (10 turkeys) of the total spring season harvest was taken by crossbow by hunters with special disability permits. The 2017 spring season harvest by crossbow remained low, despite the new rule, at 0.002% (13 birds). Hunters also harvested an additional 26 birds by vertical bow during the 2017 spring season.

**TABLE 4. 2017 REGULAR SPRING AND YOUTH SEASON HARVEST BY COUNTY**

County	Adult	Immature	Total
Addison	369	178	547
Bennington	275	82	357
Caledonia	369	160	529
Chittenden	218	118	336
Essex	80	58	138
Franklin	385	232	617
Grand Isle	34	11	45
Lamoille	180	94	274
Orange	503	199	702
Orleans	306	160	466
Rutland	533	142	675
Washington	386	148	534
Windham	395	132	527
Windsor	622	230	852
<b>TOTAL</b>	<b>4,655</b>	<b>1,944</b>	<b>6,599</b>


## Fall Turkey Season Summary

The 2017 fall season (shotgun and archery combined) harvest of 367 either-sex birds was well below the previous 3-year average of 1,130 (2014-2016) and was the lowest recorded harvest since 1996 when only 295 turkeys were harvested. The fall harvest accounted for 5% of the overall harvest for 2017. The annual fall mast survey conducted by department biologists indicated that the fruit (e.g., apples, berries) and nut (i.e., acorns and beechnuts) availability was considerably higher than average overall and was near a record high for beechnuts. The lower fall turkey harvest experienced in 2017 may be a reflection of the near record low PI (2.17 poults/hen) as discussed above and the abundant fall mast available to turkeys during the fall hunting season.

The fall 2017 fall archery-only season accounted for 78 (21%) of the fall harvested birds, with the balance of the birds (289) taken in the shotgun season. Fall birds were taken in 143 Vermont towns (Appendix I). Wildlife Management Unit D1 reported the highest number of fall birds with 46 taken, followed by WMU J1 with 37 birds, and D2 with 30 (Table 3). Within the region of the state having a 9-day fall season, 0.045 turkeys were harvested per square mile of forested habitat whereas 0.051 turkeys per square mile of habitat were harvested within the region of the state having a 16-day season (Table 5). Those regions of the state having only an archery fall season reported very few birds harvested per square mile of forested habitat (0.008).

Despite the low fall harvest experienced in 2017, the age class representation of the harvest remained remarkably close to previous years with immature birds comprising 37% of the fall hunting season harvest and adult females accounting for 33% (Figure 4). There was slightly more than one immature bird for every adult hen harvested in the fall. A total of 112 adult males were taken in the fall season and 4,164 adult males taken in the spring season, for a total of 4,276 adult male birds harvested in all of 2017.

As with the spring season, a new rule allowed hunters 50 years or older to use a crossbow to harvest a turkey starting in 2016. Turkeys taken by crossbows totaled 8% (29 birds) of the total 2017 fall harvest which represents a slight increase from the previous season (5%). Similarly, 36% of the archery season birds were taken by crossbow up from the previous year (30%). Vertical bows were used to harvest 14% (51 birds) of the total fall harvest and 64% (50 birds) of the archery harvest.



**TABLE 5. 2017 FALL HARVEST BY SQUARE MILE AND SEASON LENGTH**

Region (WMUs)	Season Length	Birds Harvested Per Mi <sup>2</sup> Habitat
F1, F2, K, and N	16-day season	0.051
B, D1, D2, G, H, I, J1, J2, L, M, O, P, and Q	9-day season	0.045
Archery-only A, C, E1, and E2	21-day season	0.008

APPENDIX I. HARVEST BY TOWN (SPRING 2017 AND FALL 2017)

County	Town	Youth	Spring	Fall Archery	Fall Shotgun	Total Town Harvest
ADDISON	Addison	7	29	1	2	39
	Bridport	3	12	0	2	17
	Bristol	3	29	0	1	33
	Cornwall	2	24	0	0	26
	Ferrisburgh	7	31	0	2	40
	Goshen	1	5	0	0	6
	Granville	1	13	0	1	15
	Hancock	1	11	0	0	12
	Leicester	0	15	0	0	15
	Lincoln	5	23	0	0	28
	Middlebury	4	27	1	2	34
	Monkton	2	33	0	4	39
	New Haven	9	50	0	0	59
	Orwell	8	23	0	3	34
	Panton	1	5	0	1	7
	Ripton	0	10	0	0	10
	Salisbury	8	15	0	1	24
	Shoreham	7	38	0	0	45
	Starksboro	5	30	0	2	37
	Vergennes	0	4	0	0	4
	Waltham	0	9	0	0	9
Weybridge	4	19	0	0	23	
Whiting	1	14	0	0	15	
	<b>TOTAL</b>	<b>79</b>	<b>469</b>	<b>2</b>	<b>21</b>	<b>571</b>
BENNINGTON	Arlington	2	27	0	0	29
	Bennington	6	36	0	5	47
	Dorset	6	22	0	0	28
	Glastenbury	0	0	0	0	0
	Landgrove	2	2	0	0	4
	Manchester	2	15	0	0	17
	Peru	0	9	0	0	9
	Pownal	4	48	0	1	53
	Readsboro	1	10	0	0	11
	Rupert	5	43	0	3	51
	Sandgate	3	21	0	0	24
	Searsburg	0	4	0	0	4
	Shaftsbury	5	42	0	0	47
	Stamford	0	10	1	0	11
	Sunderland	1	6	0	0	7
	Winhall	0	10	0	0	10



APPENDIX I. HARVEST BY TOWN (SPRING 2017 AND FALL 2017)

County	Town	Youth	Spring	Fall Archery	Fall Shotgun	Total Town Harvest
BENNINGTON (cont.)	Woodford	0	15	0	0	15
	<b>TOTAL</b>	<b>37</b>	<b>320</b>	<b>1</b>	<b>9</b>	<b>367</b>
CALEDONIA	Barnet	7	39	0	3	49
	Burke	4	14	1	2	21
	Danville	7	57	0	4	68
	Groton	3	24	0	0	27
	Hardwick	3	42	0	4	49
	Kirby	1	16	0	5	22
	Lyndon	5	24	0	3	32
	Newark	4	10	0	0	14
	Peacham	2	26	0	0	28
	Ryegate	10	71	2	6	89
	St. Johnsbury	6	30	2	2	40
	Sheffield	1	14	0	0	15
	Stannard	1	4	0	0	5
	Sutton	1	18	0	4	23
	Walden	5	27	0	3	35
	Waterford	4	42	0	0	46
	Wheelock	0	7	0	0	7
		<b>TOTAL</b>	<b>64</b>	<b>465</b>	<b>5</b>	<b>36</b>
CHITTENDEN	Bolton	2	5	0	0	7
	Charlotte	7	36	3	2	48
	Colchester	2	26	0	1	29
	Essex	1	17	0	0	18
	Hinesburg	6	18	0	1	25
	Huntington	2	18	0	0	20
	Jericho	1	18	0	1	20
	Milton	9	46	0	5	60
	Richmond	3	24	3	0	30
	St. George	0	2	0	0	2
	Shelburne	1	7	0	2	10
	South Burlington	0	3	0	0	3
	Underhill	2	22	0	0	24
	Westford	3	24	0	0	27
	Williston	2	29	0	0	31
	<b>TOTAL</b>	<b>41</b>	<b>295</b>	<b>6</b>	<b>12</b>	<b>354</b>

APPENDIX I. HARVEST BY TOWN (SPRING 2017 AND FALL 2017)

County	Town	Youth	Spring	Fall Archery	Fall Shotgun	Total Town Harvest
ESSEX	Bloomfield	0	10	1	0	11
	Brighton	0	11	0	0	11
	Brunswick	1	5	0	0	6
	Canaan	3	5	0	0	8
	Concord	2	11	0	2	15
	East Haven	0	0	0	0	0
	Ferdinand	0	8	0	0	8
	Granby	0	8	0	0	8
	Guildhall	0	8	0	0	8
	Lemington	1	5	0	0	6
	Lunenburg	2	27	0	0	29
	Maidstone	1	10	0	0	11
	Norton	2	10	0	0	12
	Victory	2	6	0	1	9
	<b>TOTAL</b>		<b>14</b>	<b>124</b>	<b>1</b>	<b>3</b>
FRANKLIN	Bakersfield	3	38	0	0	41
	Berkshire	6	33	1	0	40
	Enosburg	12	47	1	0	60
	Fairfax	9	32	0	2	43
	Fairfield	10	57	2	1	70
	Fletcher	3	23	3	4	33
	Franklin	11	47	2	0	60
	Georgia	7	35	0	3	45
	Highgate	5	53	1	2	61
	Montgomery	3	38	0	0	41
	Richford	4	31	0	0	35
	St. Albans	5	15	1	0	21
	Sheldon	9	36	0	1	46
	Swanton	5	40	0	0	45
	<b>TOTAL</b>		<b>92</b>	<b>525</b>	<b>11</b>	<b>13</b>
GRAND ISLE	Alburgh	2	16	2	0	20
	Grand Isle	0	13	0	0	13
	Isle LaMotte	0	1	0	0	1
	North Hero	0	4	0	0	4
	South Hero	3	6	2	0	11
<b>TOTAL</b>		<b>5</b>	<b>40</b>	<b>4</b>	<b>0</b>	<b>49</b>

APPENDIX I. HARVEST BY TOWN (SPRING 2017 AND FALL 2017)

County	Town	Youth	Spring	Fall Archery	Fall Shotgun	Total Town Harvest
LAMOILLE	Belvidere	0	4	0	0	4
	Cambridge	5	43	2	2	52
	Eden	2	23	0	0	25
	Elmore	1	17	0	2	20
	Hyde Park	3	20	0	0	23
	Johnson	5	35	0	0	40
	Morristown	4	41	0	1	46
	Stowe	1	28	1	1	31
	Waterville	1	13	0	0	14
	Wolcott	3	25	0	1	29
	<b>TOTAL</b>		<b>25</b>	<b>249</b>	<b>3</b>	<b>7</b>
ORANGE	Bradford	6	34	1	1	42
	Braintree	4	37	0	3	44
	Brookfield	2	56	0	0	58
	Chelsea	3	34	1	3	41
	Corinth	7	41	0	2	50
	Fairlee	2	20	0	1	23
	Newbury	4	59	2	6	71
	Orange	4	18	2	0	24
	Randolph	11	48	0	4	63
	Strafford	4	33	0	2	39
	Thetford	6	33	1	1	41
	Topsham	6	36	0	1	43
	Tunbridge	5	53	2	0	60
	Vershire	2	20	0	0	22
	Washington	2	26	0	1	29
	West Fairlee	1	12	0	0	13
	Williamstown	7	66	2	11	86
<b>TOTAL</b>		<b>76</b>	<b>626</b>	<b>11</b>	<b>36</b>	<b>749</b>
ORLEANS	Albany	6	17	0	3	26
	Barton	4	25	1	1	31
	Brownington	2	26	1	4	33
	Charleston	3	19	0	4	26
	Coventry	2	23	1	2	28
	Craftsbury	7	26	0	1	34
	Derby	5	34	3	1	43
	Glover	4	18	3	3	28
	Greensboro	8	24	0	4	36
	Holland	6	21	0	5	32

APPENDIX I. HARVEST BY TOWN (SPRING 2017 AND FALL 2017)

County	Town	Youth	Spring	Fall Archery	Fall Shotgun	Total Town Harvest
ORLEANS (cont.)	Irasburg	6	31	0	5	42
	Jay	2	9	0	0	11
	Lowell	0	15	0	2	17
	Morgan	0	14	0	4	18
	Newport	13	29	1	6	49
	Troy	4	29	2	3	38
	Westfield	7	17	0	0	24
	Westmore	3	7	0	1	11
	<b>TOTAL</b>		<b>82</b>	<b>384</b>	<b>12</b>	<b>49</b>
RUTLAND	Benson	4	56	0	1	61
	Brandon	1	27	0	0	28
	Castleton	2	25	0	1	28
	Chittenden	1	24	0	0	25
	Clarendon	3	36	2	0	41
	Danby	2	25	0	1	28
	Fair Haven	3	9	0	0	12
	Hubbardton	0	20	0	0	20
	Ira	3	14	0	1	18
	Killington	0	11	0	0	11
	Mendon	0	6	0	0	6
	Middletown Springs	1	14	0	0	15
	Mount Holly	2	28	2	0	32
	Mount Tabor	0	9	0	0	9
	Pawlet	10	56	0	2	68
	Pittsfield	0	4	0	0	4
	Pittsford	2	36	0	2	40
	Poultney	6	36	0	1	43
	Proctor	2	11	0	1	14
	Rutland	0	11	0	2	13
	Shrewsbury	3	17	0	1	21
	Sudbury	3	9	1	0	13
	Tinmouth	7	29	0	1	37
	Wallingford	6	27	0	0	33
	Wells	2	28	0	0	30
	West Haven	2	27	0	0	29
	West Rutland	3	12	0	1	16
<b>TOTAL</b>		<b>68</b>	<b>607</b>	<b>5</b>	<b>15</b>	<b>695</b>



APPENDIX I. HARVEST BY TOWN (SPRING 2017 AND FALL 2017)

County	Town	Youth	Spring	Fall Archery	Fall Shotgun	Total Town Harvest
WASHINGTON	Barre	7	60	3	1	71
	Berlin	3	49	2	3	57
	Cabot	8	43	0	3	54
	Calais	2	28	1	2	33
	Duxbury	4	5	0	0	9
	East Montpelier	5	51	1	6	63
	Fayston	0	4	0	0	4
	Marshfield	4	25	0	2	31
	Middlesex	2	21	0	2	25
	Montpelier	0	3	0	0	3
	Moretown	3	27	0	4	34
	Northfield	5	32	1	0	38
	Plainfield	1	33	0	1	35
	Roxbury	0	10	1	0	11
	Waitsfield	3	19	0	1	23
	Warren	0	22	0	1	23
	Waterbury	2	26	0	2	30
	Woodbury	1	5	0	1	7
	Worcester	2	19	0	3	24
		<b>TOTAL</b>	<b>52</b>	<b>482</b>	<b>9</b>	<b>32</b>
WINDHAM	Athens	1	4	0	0	5
	Brattleboro	1	17	0	0	18
	Brookline	2	12	0	0	14
	Dover	2	17	0	0	19
	Dummerston	0	39	0	3	42
	Grafton	1	21	0	2	24
	Guilford	2	41	0	2	45
	Halifax	2	22	1	2	27
	Jamaica	1	16	1	0	18
	Londonderry	4	22	0	1	27
	Marlboro	1	11	0	0	12
	Newfane	0	21	0	1	22
	Putney	1	14	1	0	16
	Rockingham	9	58	0	3	70
	Somerset	0	4	0	0	4
	Stratton	0	12	0	0	12
	Townshend	6	20	0	0	26
	Vernon	2	32	1	1	36
	Wardsboro	1	12	0	0	13
	Westminster	2	24	0	0	26

APPENDIX I. HARVEST BY TOWN (SPRING 2017 AND FALL 2017)

County	Town	Youth	Spring	Fall Archery	Fall Shotgun	Total Town Harvest	
WINDHAM (cont.)	Whitingham	7	20	0	3	30	
	Wilmington	4	27	2	1	34	
	Windham	0	12	0	1	13	
	<b>TOTAL</b>	<b>49</b>	<b>478</b>	<b>6</b>	<b>20</b>	<b>553</b>	
WINDSOR	Andover	2	19	0	0	21	
	Baltimore	2	13	1	1	17	
	Barnard	3	32	0	0	35	
	Bethel	6	34	0	2	42	
	Bridgewater	3	18	0	0	21	
	Cavendish	3	32	0	1	36	
	Chester	2	70	0	2	74	
	Hartford	1	38	1	0	40	
	Hartland	12	58	1	3	74	
	Ludlow	1	22	0	0	23	
	Norwich	2	48	0	1	51	
	Plymouth	1	23	0	2	26	
	Pomfret	0	36	0	1	37	
	Reading	1	18	1	0	20	
	Rochester	0	23	0	3	26	
	Royalton	4	26	0	2	32	
	Sharon	1	24	0	0	25	
	Springfield	7	68	1	5	81	
	Stockbridge	0	27	0	0	27	
	Weathersfield	5	60	2	1	68	
	West Windsor	2	23	0	3	28	
	Weston	1	12	0	0	13	
	Windsor	0	36	0	1	37	
	Woodstock	2	31	0	2	35	
		<b>TOTAL</b>	<b>61</b>	<b>791</b>	<b>7</b>	<b>30</b>	<b>889</b>
	<b>STATE TOTAL</b>		<b>745</b>	<b>5,855</b>	<b>83</b>	<b>283</b>	<b>6,966</b>

