Species Guide to Vermont Bats

- Vermont has nine species of bats, each relying on specific summer and winter habitats.
- Six species hibernate in caves and mines during the winter (cave bats).



• During the summer, two species primarily roost in structures (house bats),




And four roost in trees and rocky outcrops (forest bats).



- Three species migrate south to warmer climates for the winter and roost in trees during the summer (migratory bats).
- This guide is designed to help familiarize you with the physical characteristics of each species.
- Bats should only be handled by trained professionals with gloves.
- For more information, contact a bat biologist at the Vermont Fish and Wildlife Department or go to www.vtfishandwildlife.com


Vermont's Nine Species of Bats






Eastern red bat

Bat Anatomy





House Bats





Big brown bat



These are the two bat species that are most commonly found in Vermont buildings.

The little brown bat is state endangered, so care must be used to safely exclude unwanted bats from buildings.

Follow the best management practices found at www.vtfishandwildlife.com/wildlife_bats.cfm


Little brown bat



House Bats




Big brown bat, Eptesicus fuscus



Big thick muzzle

Weight	13-25 g
Total Length (with Tail)	106 – 127 mm
Wingspan	32 – 35 cm
Forearm	45 – 48 mm
Description	Long, glossy brown furBelly paler than backBlack wingsBig thick muzzleKeeled calcar
Similar Species	Little brown bat is much smaller & lacks keeled calcar.


Long silky fur




Commonly found in houses during the summer <u>and winter</u>

House Bats











Little brown bat, *Myotis lucifugus*

Commonly found in houses during the summer

Weight	4 – 9 g
Total Length (with Tail)	79 – 93 mm
Wingspan	22 – 27 cm
Forearm	35 – 40 mm
Description	 Fine brown fur Belly paler than back Face, ears, and wings are dark brown Long hairs on feet extend beyond toes No keel on calcar
Similar Species	Indiana bat has short toe hair and a keeled calcar. Northern long-eared bat has long ears that extend beyond the muzzle if bent forward. Small-footed bat is much smaller and has a smaller foot and black mask.






Indiana bat, Myotis sodalis

Short pinkish nose

Weight	5 – 10 g
Total Length (with Tail)	71 – 91 mm
Wingspan	24 – 27 cm
Forearm	36 – 40 mm
Description	 Dull, wooly fur uniform grey/brown Pinkish nose Short hairs on feet do not extend beyond toes Keeled calcar
Similar Species	Little brown bat has long toe hair and a no keel on the calcar. Northern long-eared bat has long ears that extend beyond the muzzle if bent forward. Small-footed bat is much smaller and has a smaller foot and black mask.











No keel






Eastern small-footed bat, *Myotis leibii*

Weight	4 – 6 g
Total Length (with Tail)	73 – 82 mm
Wingspan	21 – 25 cm
Forearm	31 – 34 mm
Description	 Black face mask and ears Dark wings Long silky hair Small feet (6.6 - 7 mm)
	Keeled calcar

Long silky hair



Black face mask




Tri-colored bat, Perimyotis subflavus



Tri-colored fur

Pinkish forearms





Weight	4 – 7 g
Total Length (with Tail)	81 – 89 mm
Wingspan	21 – 26 cm
Forearm	32 – 34 mm
Description	 Yellowish fur is tri-colored: dark at the base, pale in the middle, and dark at the tips Pinkish forearms Pale brown face and ears
Similar Species	Other VT bats have bi-colored fur






Northern long-eared bat,

Myotis	septentrional	lis
TVI y O t t S	sepieninional	

Weight	5 – 7 g
Total Length (with Tail)	79 – 88 mm
Wingspan	23 – 26 cm
Forearm	34 – 39 mm
Description	 Dull brown fur on back, pale belly Large ears that extend beyond the muzzle if laid forward Long pointed tragus
Similar Species	Little brown bat has smaller ears and shorter tragus.






Long ears and pointy tragus

Pale belly

Migratory Bats



Eastern red bat, Lasiurus borealis



Weight	9 – 16 g
Total Length (with Tail)	95 – 126 mm
Wingspan	29 – 33 cm
Forearm	38 – 42 mm
Description	 Bright orange- to reddish-brown color Males more brightly colored than females Frosted appearance Furred tail membrane
Similar Species	None

Furred tail membrane



Overall orange/reddish color

Migratory Bats




Silver-haired bat, Lasionycteris noctivigans

Weight	7 – 16 g
Total Length (with Tail)	84 – 113 mm
Wingspan	28 – 31 cm
Forearm	39 – 44 mm
Description	 Blackish/brown fur tipped with silver color Ears and tragus short, blunt and naked Face, ears, feet and wings dark brown Lightly furred tail membrane
Similar Species	Hoary bat is larger with densely furred tail membrane and yellow fur around its face.

Furred tail membrane



Silver-tipped fur




Migratory Bats

Hoary bat, Lasiurus cinereus

Weight	18 – 38 g
Total Length (with Tail)	102 – 152 mm
Wingspan	34 – 41 cm
Forearm	42 – 59 mm
Description	 Largest bat in VT Heavily furred tail membrane Fur has banded coloring: black, tan, brown, and silver Fur around face is yellowish
Similar Species	None

Furred tail membrane



Yellowish fur around face

